# WDTU124G

| | |
|---|---|
| **Product family** | Drawer |
| **Commercial height** | 14 cm |
| **Type** | Warming drawer |



## Aesthetic

| | | | |
|---|---|---|---|
| **Aesthetics** | Linea | **Front panel** | Full-glass |
| **Color** | Neptune Grey | **Logo** | Applied |
| **Finishing** | Neptune Grey | **Logo position** | Inside |
| **Material** | Glass | | |

## Controls

| | | | |
|---|---|---|---|
| **Display** | Yes | **Type of temperature control** | Electronic |
| **Control setting type** | Touch control | | |

## Program / Functions

| | |
|---|---|
| **Proof** | Yes |
| **Defrost** | Yes |
| **Sabbath Mode** | Yes |
| **Keep warm** | Yes |
| **Dish warmer** | Yes |
| **Timer** | Yes |

## Technical Features

| | | | |
|---|---|---|---|
| **Opening mechanism** | Push-pull | **Type of heating** | Fan-assisted |
| **Base material** | Stainless steel | **Minimum Temperature** | 86 °F |
| **Max weight allowance** | 33 lbs | **Maximum temperature** | 85 °F |
| **Maximum drawer loading weight** | 187 lbs | **Included accessories** | Silicone antislip mat |


| | |
|---|---|
| **Capacity** | 21 l |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Plug** | (B) NEMA 5-15P | **Voltage** | 110 V |
| **Nominal power** | 400 W | **Frequency (Hz)** | 50-60 Hz |
| **Current** | 2 A | | |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width** | 23 1/2 " | **Height** | 5 5/16 " |
| **Depth** | 20 3/8 " | | |



## Alternative products

**WDTU324X**

**Color:** Stainless steel

